| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|------------------------------|---------------------|---------|------------------|
| L1 | 19 | ("4755935" "4796175" "4882673" "5226138" "5359723" "5404546" "5493667" "5537656" "5579493" "5594884" "5666537" "5758174" "5781780" "5941991").PN. OR ("6055640"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/13 11:36 |
| L2 | 15 | 1 and (speed or rate) | US-PGPUB; USPAT | OR | OFF | 2006/04/13 11:37 |
| L3 | ·16 | 1 and (speed or rate or frequency) | US-PGPUB; USPAT | OR | OFF | 2006/04/13 11:56 |
| L4 | 970 | (load near2 estimate) | US-PGPUB; USPAT | OR | OFF | 2006/04/13 11:56 |
| L5 | 4 | 4 near3 (long or short) | US-PGPUB; USPAT | OR · | OFF · | 2006/04/13 12:20 |
| L6 | 2091 | 713/300.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:21 |
| L7 | 3 | I6 and I4 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:21 |
| L8 | 1168 | 713/320.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:21 |
| L9 | 729 | 713/322.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:21 |
| L10 | 695 | 713/501.ccls. | US-PGPUB; USPAT | OR | OFF . | 2006/04/13 12:21 |
| L11 . | , 3 | 8 and I4 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:21 |
| L12 | 1 | 9 and 14 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:22 |
| L13 | 1 | 10 and I4 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:22 |
| L14 | 314 | adjust processor clock | US-PGPUB; USPAT | WITH | OFF | 2006/04/13 12:22 |
| L15 | 1 | L14 and I4 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:22 |
| L16 | 10 | L14 and 8 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:22 |
| L17 | 13 | L14 and 6 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:23 |
| L18 | 19 | L14 and 9 | US-PGPUB; USPAT | OR | OFF · | 2006/04/13 12:23 |
| L19 | 17 | L14 and 10 | US-PGPUB; USPAT | OR | OFF | 2006/04/13 12:23 |

| S1 | 1 | ("6715089").PN. | US-PGPUB; USPAT | OR | OFF | 2006/03/30 15:18 |
|-----|-------|----------------------------|--------------------|---------------|-----|------------------|
| S2 | 7847 | power estimate | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:18 |
| S3 | 2475 | estimate load | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:19 |
| S4 | 18 | S3 with instruction | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:20 |
| S5 | 48924 | operating near frequenc\$3 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:51 |
| .S6 | 4 | S3 same S5 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:23 |
| S7 | 797 | instruction weight | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:23 |
| S8 | 167 | instruction near3 weight | US-PGPUB; USPAT | WITH | OFF | 2006/04/12 14:37 |
| S9 | 24235 | clock near rate | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:24 |
| S10 | 0 | S3 same S9 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:24 |
| S12 | 0 | S9 same S8 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:25 |
| S13 | 0 | S5 same S8 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:25 |
| S14 | 3 | S5 and S8 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:39 |
| S15 | 93857 | clock frequenc\$3 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:39 |
| S16 | . 7 | S3 same S15 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:41 |
| S17 | 894 | estimate same S15 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:41 |
| S18 | 215 | estimate same S5 . | US-PGPUB; USPAT | WITH . | OFF | 2006/03/30 15:41 |
| S19 | 101 | S17 same processor | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:41 |
| S25 | 1461 | S5 with temperature | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:58 |
| S26 | 1780 | S15 with temperature | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:52 |
| S27 | 525 | S5 near3 processor | US-PGPUB; USPAT | w <u>i</u> th | OFF | 2006/03/30 16:03 |
| S28 | 19 | S27 with temperature | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 15:54 |

| | | | | , | | |
|-----|-----|---|------------------------------|----------|-----|------------------|
| S29 | 54 | S17 same temperature | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:02 |
| S30 | 11 | S18 same temperature | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:02 |
| S31 | 0 | S27 near3 estimate | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:03 |
| S32 | 3 | S27 with estimate | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:10 |
| S33 | 955 | control near2 S5 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:11 |
| S34 | 29 | control near2 S27 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:12 |
| S37 | 384 | estimate instruction | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:15 |
| S38 | 19 | S37 with frequenc\$3 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:15 |
| S39 | 32 | S37 same frequenc\$3 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:16 |
| S40 | 11 | S5 and S7 | US-PGPUB; USPAT | WITH · | OFF | 2006/03/30 16:22 |
| S41 | 15 | S7 and S9 | US-PGPUB; USPAT | WITH | OFF | 2006/03/30 16:23 |
| S42 | 2 | (("5996084") or ("6427211")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/03/31 16:09 |
| S43 | 37 | ("5218704" "5422806" "5422832" "5451892" "5490059" "5535401" "5561792" "5572719" "5623647" "5630110" "5721837" "5752011" "5774704" "5826083" "5832284").PN. OR ("5996084").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/31 15:41 |
| S44 | 21 | (("20050223255") or ("20050023256") or ("20050023257") or ("20050023258") or ("6732284") or ("7028198") or ("6848054") or ("6158012") or ("6901524") or ("20050223254") or ("6006336") or ("5218704") or ("6397340") or ("6173409") or ("6633988") or ("6732283") or ("20040225906") or ("20050204177") or ("20050204178") or ("20050204178") or ("20050204179") or ("5930516")). PN. | US-PGPUB; USPAT | OR . | OFF | 2006/03/31 16:12 |

| S52 | 4351 | instruction near (queue or buffer) | US-PGPUB; | OR | OFF | 2006/04/03 12:50 |
|-------|-------|--|--------------------|--------|-------|------------------|
| . 552 | 1331 | Journal (quode of bullet) | USPAT | | J | |
| S53 | 5 | S52 same estimate | US-PGPUB; USPAT | WITH | OFF | 2006/04/03 12:56 |
| S54 | 312 | adjust processor clock | US-PGPUB; USPAT | WITH | OFF | 2006/04/03 12:57 |
| S55 | 97 | S54 and instructions and (buffer or queue) | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:44 |
| S56 | 312 | adjust processor clock | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:44 |
| S57 · | 1 | S56 and (instructions near3 (buffer or queue)) | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:45 |
| S59 | 11401 | (instruction near3 (buffer or queue)) | US-PGPUB; USPAT | WITH | ON | 2006/04/04 13:45 |
| S60 | 59904 | (control or change or adjust) near3 clock | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:47 |
| S61 | 1372 | S59 and S60 | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:48 |
| S62 | 1147 | S61 and processor | US-PGPUB; USPAT | WITH | OFF . | 2006/04/04 13:48 |
| S63 | 8222 | (control or change or adjust) near3 (clock near2 (speed or rate or frequenc\$3)) | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 17:49 |
| S64 | 2 | S59 same S63 | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:47 |
| ·S65 | 113 | S59 and S63 | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:47 |
| S66 | 94 | S65 and processor | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:48 |
| S67 | 76 | S59 same S60 | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 13:48 |
| S68 | 61 | S67 and processor | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 15:39 |
| S69 | 16911 | instruction near3 (weight or value or load) | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 16:20 |
| S70 | 65 | S60 same S69 | US-PGPUB; USPAT | WITH | OFF | 2006/04/04 16:20 |
| S71 | 6 | S63 same S69 | US-PGPUB; USPAT | WITH ! | OFF | 2006/04/04 16:20 |

| S72 | 56 | ("3453601" "3623017" "3868647" | US-PGPUB; | OR | OFF | 2006/04/04 17:40 |
|------|--------|--|--------------------|------|----------|------------------|
| | | "3922526" "3941989" | USPAT; | | | |
| | | "4137563" "4217637" "4254475" | USOCR | | | |
| | | | | | | |
| | | 4293927 | | | | _ |
| | | | | | | |
| | | "4612418" "4615005" | | | | |
| | | "4615006" "4670837" "4686386" | | | | |
| | | "4698748 ["] "4748559 ["] | | | : | |
| | : | "4758945" "4780843" "4814591" | | | | |
| | | "4819164" "4821229" | | | | , |
| | | "4823292" "4823309" "4851987" | | | | |
| | | "4870570" "4893271" | | | | |
| | | "4980836" "5025387" "5083266" | | | | |
| | | "5086387" "5129091" "5142684" "5167024" "5175845" | | | | |
| | | "5179693" "5201059" | | | | |
| | | "5218704" "5222239" "5560024" | | | | |
| , | | "5930516" "6006336" | | | | |
| ′ | | "6173409").PN. OR ("6633988"). | | | | , |
| | | URPN. | | | | |
| S73 | 97 | S63 with load | US-PGPUB; | OR | OFF | 2006/04/04 17:49 |
| | | | USPAT | | | ,,, |
| S74 | ' 33 | S73 and processor | US-PGPUB; | OR | OFF | 2006/04/04 17:49 |
| 3, 1 | 33 | 373 and processor | USPAT | OIX | 011 | 2000/01/01 17:13 |
| 675 | | (IICC22000II) DN | | OD | 055 | 2006/04/05 10:02 |
| S75 | 1 | ("6633988").PN. | US-PGPUB; USPAT | OR | OFF | 2006/04/05 10:02 |
| | | | : | | | |
| S76 | 5 | ("6055640").URPN. | USPAT | OR | OFF | 2006/04/11 18:20 |
| S77 | 10 | ("6415388").URPN. | USPAT | OR | OFF | 2006/04/11 18:26 |
| S78 | 423249 | "8" same (speed or rate) | US-PGPUB; | WITH | OFF | 2006/04/12 14:37 |
| | | | USPAT | | | |
| S79 | 169 | instruction near3 weight | US-PGPUB; | WITH | OFF | 2006/04/12 14:37 |
| | | | USPAT | | | |
| S80 | 19 | S79 same (speed or rate) | US-PGPUB; | WITH | OFF | 2006/04/12 14:37 |
| | | (0) | USPAT | | | |
| S81 | 24 | ("4644466" "5452215" "5521834" | US-PGPUB; | OR | OFF | 2006/04/12 14:39 |
| 301 | 27 | 1 "5557531" "5559458" | USPAT; | OK | 011 | 2000/04/12 14.55 |
| | | "5666506" "5684422 <u>"</u> "5751984" | USOCR | | | • |
| | | "5859999" "5860017" | | | | |
| | | "5884061" "5898235" "5903768" | | | | |
| | | "5938755" "5941991" | | | | |
| | , | "6122728" "6182232" "6195756" | | | | |
| | | "6219723" "6275928" | | | | |
| | | "6357016" "6367023").PN. OR | | | | • |
| | | ("6651176").URPN. | | | <u> </u> | |

| S82 | 19 | ("4755935" "4796175" "4882673" "5226138" "5359723" "5404546" "5493667" "5537656" "5579493" "5594884" "5666537" "5758174" "5781780" "5941991").PN. OR ("6055640"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/12 14:53 |
|-----|--------|---|------------------------------|------|-------|------------------|
| S83 | 242506 | increase near3 (speed or rate or frequency) | US-PGPUB; USPAT | OR | OFF | 2006/04/12 14:55 |
| S84 | 1844 | S83 same instruction | US-PGPUB; USPAT | OR | OFF | 2006/04/12 14:54 |
| S85 | 802 | S83 with instruction | US-PGPUB; USPAT | OR | OFF | 2006/04/12 14:55 |
| S86 | 24 | S83 and S79 | US-PGPUB; USPAT | OR | OFF | 2006/04/12 14:54 |
| S87 | 208243 | increase near2 (speed or rate or frequency) | US-PGPUB; USPAT | OR | OFF . | 2006/04/12 14:55 |
| S88 | 673 | S87 with instruction | US-PGPUB; USPAT | OR | OFF | 2006/04/12 14:55 |
| S89 | 131 | S88 with (cpu or processor or microprocessor) | US-PGPUB; USPAT | OR . | OFF | 2006/04/12 14:56 |